

FLOORCARE SOLUTIONS

Specialized cleaning solutions for every aspect of clean



NILFISK

Vacuum cleaners



VP100

Ergonomic design for flawless and efficient cleaning



VP300 series

Reliable everyday vacuum cleaner – in an ergonomic and light-weight design



VP930/ GD930

A famous and well-known workhorse – efficient and durable for large area cleaning



VU500

Exceptional cleaning performance for medium and low cut piles



GD 5/10/FLY

User-friendly backpack vacuum cleaner



GD 5 Battery

Backpack vacuum that requires no electrical connections



GU 700A

Heavy-duty upright vacuum cleaner for maximum productivity



VL100 series

Basic and simple wet & dry vacuum cleaner



VL200 series

Compact wet & dry vacuum cleaner with filter cleaning



VL500 series

The future of wet & dry pick-up for multi-applications



VP600 Battery

Cordless vacuum cleaning



TECHNICAL SPECIFICATIONS

	Rated power (w)	Suction power (w)	Airflow (l/sec)	Sound pressure level dB(A)	Tank capacity (L)	Dust bag capacity (L)	Main filter area (cm)	Weight (kg)
VP100	880	192	30	62.5	–	10	1100	5.2
VP300	1200	260	32	50	–	10	1250	5.3
VP300 HEPA	800/400	215/110	32/25	62/58	–	10	2400	5.5
VP930/GD930	1000	270	35	53	–	15	4900	7.9
VU500	810	130	27	62	–	3.5	2400	8.0/8.5
GD 5/10	780	225	33	64	–	5/10	2400	4.5/5
GD 5 Fly	800	126	29	59	–	5	1397	4.2
GD 5 Battery	650	45/116	21.7/26.7	60/65	–	5	1397	8
GU 700A	2250	–	52	68	35	35	–	51
VL100 35/55/75	1000/2000	210/380	31/52	74/78	35/55/75	18.2/28.1/44.4	1746/3085	10/20/20.5
VL200/INOX	1200	250	48	64	20/30	14	300	7.5/10.5
VL500 35	1350	250	48	62	35	18	1051	11.5
VL500 55	1350/2500	200	48/72	64/66	55	28	1840	23.5-27.5
VL500 75	1250/2400	200	48/72	64/66	75	44	1840	26-28.5
VP 600 Battery	650	45/116	21.7/26.7	56/61	-	10	2400	7.2

Industrial Vacuum cleaners



GM 80P

Rigid construction for small vacuum cleaning jobs



VHS 42

Superior and powerful vacuum cleaners



T40W

4 kW, great airflow and with InfiniClean, for endless filtration



VHB436

Battery powered industrial vacuum. Fast charging lithium ion battery



S2

The first digital and fully modular industrial vacuums



S3

The powerful and cost-effective way to dry carpets and floors



VHO200

A powerful vacuum for liquids with diverting valve for an easy and fast container discharge



VHS120

The VHS120 is the ideal vacuum cleaner when there is need of high performances in compact dimensions for collecting any type of waste material



IVB 7 ATTEX TYPE 22

Approved for explosion proof and healthy cleaning



IVB 995 ATTEX TYPE 22

Health & Safety Wet & Dry Vacuum Cleaners



TECHNICAL SPECIFICATIONS

	Dust class	Rated power (w)	Airflow (l/sec.)	Vacuum working max. (kPa)	Sound level dB(A) IEC 704	Main filter area (cm ²)	Container capacity (Ltr.)
GM 80P	L	1200	38	27	66	2100	12
VHS42	M/H	1400	60	25	60	-	30/42
T40W	L/M	4000	136	30	72	19500	50/100
VHB436	L/M	2400	106	13	71	19500	50
S2	L	2000	92	21.1	70	19500	40
S3	L	3000	135	21.1	71	19500	50-100
VHO200	L	2400	75	23	70		75
VHO200 METAL	L	2400	75	23	70		75
VHS 120	L	2000	92	21	74	16000	37
VHS 120 General Cleaning	L	2000	86	21	74	16000	37
IVB 7 ATTEX TYPE 22	M	1200	56	25	53.5	3000	70
IVB 995 ATTEX TYPE 22	H/M	2x1100			53	1000	50

Scrubber dryers



SC100

Upright scrubber dryer is the master of small space cleaning



SC250

Scrubbing, sweeping and drying in every corner



SC351

Allows both scrubbing and drying backwards and forwards



SC401

High and consistent cleaning performance for hours



SC430

Simple and user friendly walk-behind scrubber dryer



SC450

Simple, basic scrubber/dryer that makes cleaning an easy operation



SC500

Cost-effective, sustainable and easy to service



SC530

Simple, trustworthy and cost effective scrubber dryer



BA/CA 551/611

Silent, compact and easy to manoeuvre



SC1500

Innovative stand-on scrubber dryer setting a new standard



SC2000

Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model



BR 752

Super low noise level, ergonomic and a compact machine



SC3500

The mid-size solution for high productivity and efficiency



BR 855

Generation of scrubber/dryers, with focus on ergonomics and reliability



SC5000

The agile answer for dynamic cleaning challenges



SC6000

Efficient large area cleaning



SC6500

High productivity in extreme cleaning environments



SC8000

Widest cylindrical scrub deck in its class

TECHNICAL SPECIFICATIONS

	Rated power (w)	Scrubbing width (mm)	Brush/pad diameter (mm)	Brush pressure (kg)	Solution/recovery tank (L)	Productivity rate (m ² /h)
SC100	800	310	1 cyl.	–	3/4	620
SC250	300	340	1 cyl.	12	6/6	1360
SC351	450	370	370	27	11/11	1480
SC401E	1030	430	430	24/30	30/30	1720
SC430	900	530	530/508	35	40/40	2120
SC450E	810	530	530	23/34	40/45	2120
SC500	930	530	530/508	15/30	45/45	2650
SC530	800	530	530/508	23	61/61	2385
BA/CA 551	810	510	530	21-30	55/55	2970
SC1500	840	510	510	23/40	44/46	2142
SC2000	–	530	530/508	15/30	70	3180
BR 752	1500	710	355	32/50	80/80	4260
SC3500	2658	710	355/355	30/50	110/110	4260
BR 855	2160	860	2x355	40/65/96	106/106	5360
SC5000	2400	860	2x430	38-104	140/147	7310
SC6000	2500/2700	863-1016	180/430/508	up to 135	190/190	9450
SC6500	4100-5220	1000/1300	2x505/ 3x432	38-145	265/265	11700
SC8000 1300/1600	Diesel/LPG	1220/1520	280x1220	55/110/180	380/380	19760

Sweepers



SW 200/250

Robust, manually operated sweeper



SW 750

Quiet and easy cleaning



SW 900

High cleaning performance and productivity



SR 1101

Great sweeping – low running costs



SW5500

The real Industrial Hybrid powered sweeper in the industry



SR 1601

The most technically advanced sweeper in its category



SW8000

An industrial ride-on sweeper for large heavy-duty areas



SW4000

One touch sweeping minimising your operational costs



Combination machines



CS7010

First Hybrid and ePower driven combi machines



TECHNICAL SPECIFICATIONS

	Motor power source	Productivity rate theoretical (m ² /h)	Working width w/right s/brush	Working width w/2 s/brush (mm)	Hopper volume (L)	Max. dumping height (cm)	Main filter area (m ²)
SW 200/250	Manual	1920	700/-	-/920	38	Manual	-
SW 750	Batt. 12V	2880	720	-	60	Manual	1
SW 900	Batt.12V/Petrol	3715-4725	825	1050	60	Manual	1.9
SR 1101	Batt.12V/Petrol	4900-6300	980	1260	70	Manual	3.6
SW5500	B/D/LPG	10.575-15.000	1175	1500	150	165	7
SR 1601	D/LPG/P/B	10000-19200	1250	1600	315	159	10
SW8000	D/LPG/P	23925-29000	1650	2000	400	152	9
SW4000	LPG/P/B	6825-8750	975	1250	75	150	7

	Hopper Volume (L)	Solution/recovery tank (L)	Brush speed/pressure (rpm/kg)	Shipping weight (kg)	Scrubbing width (mm)	Productivity rate actual (m ² /h)	Sweeping width (mm)
CS7010	198	284/284	90-127-181	2058-2593	1245	11080	1540

Single discs and burnishers



FM400 L

Low and for standard cleaning applications



FM400 D

Dual speed built for standard and medium-duty use



FM400 H

High Speed polishing for hard floors



BU500

Ultra high speed to build and maintain shiny floors



BU800

Self-regulating pad pressure and a floating pad driver

Carpet extractors



ES4000

Total carpet care



ES300

Cleaning carpet spaces in a big way



TECHNICAL SPECIFICATIONS

	Protection class IP/protection	Rated Power (w)	Sound pressure level at 1.5m	Brush/pad diameter (mm)	Brush/pad pressure (g/cm ²)	Brush/pad speed (rpm)	Brush torque (nm)	Operating weight (kg)
FM400L	II/IPX4	1100	59	430	24	180	63	37
FM400H	IPX4	1500	61	430	28.58		36	40
FM400D	II/IP44	1100/1500	61	430	26	185/370	58/40	40
BU500	I/IPX0	1100	<70	510	10	1500	12	41
BU800	IPX4	1500	68	505	Auto	1500	9.5	233 inc. battery

	Rated power (w)	Brush speed (r.p.m.)	Sound pressure level dB(A)	Working width (mm)	Solution/ recovery tank (L)	Pump pressure (bar/psi)
ES4000	780	900	65	710	110	6.9/100
ES300	1824	1950	68	410	34/26.5	8/120

High Pressure Washers

COLD WATER



MC 2C

Ideal cold water cleaning for everyday tasks

MC2C 140/610
MC2C 150/650



MC 3C

Low running costs, great efficiency and easy handling

MC3C 150/660
MC3C 170/820



MC 4C

Petrol-driven high performance with minimal effort and maintenance

MC4C 210/770



MC 4M

Compact, efficient, ergonomic, intuitive and user-friendly

MC4M 140/620
MC4M 180/740



MC 5M

Innovative and versatile mid range cold water high pressure washers

MC5M 180/840
MC5M 200/1000
MC5M 200/1050
MC5M 220/1130



MC 6P

Premium performance, lifetime and ergonomics

MC6P 170/1600
MC6P 180/1300
MC6P 250/1100



MC 7P

Ultimate industrial quality

MC7P 195/1280



MC9P

High pressure washers for extreme cleaning

MC9P 350/1260



MC10P

High pressure washers for extreme cleaning

MC10P 1100/870

HOT WATER



MH 3C

Compact and high performance

MH3C 145/600
MH3C 180/780



MH 4M FA/PA

Performance, life-time and ergonomics

MH4M 130/720
MH4M 180/860
MH4M 200/960
MH4M 210/1000
MH4M 220/1000



MH 5M

High cleaning performance and heating effect and robustness

MH5M 150/750
MH5M 200/960
MH5M 210/1100



MH 5M E

Electrically heated hot water for exhaust gas free heating

MH 5M 180/800 PA
MH 5M 400/3/50
E24 EU



MH 6P

Tough and efficient – for heavy duty applications

MH6P 175/1250
MH6P 200/1300



MH 7P

Heavy duty and efficient hot water cleaning for intense use

MH7P 180/1260



MH 8P

Tough and efficient for heavy duty applications requiring high water flow

MH8P 180/2000



STATIONARY COLD WATER PRESSURE WASHERS



SC DELTA 8P

Stationary high pressure washer for multiple users



SC UNO 5M, 6P, 7P & 8P

Stationary 1-pump high pressure washers for flexible cleaning



ROBOTIC FLOORCARE

FREEDOM TO DO BETTER

With a century's knowledge of professional cleaning behind their development, and today's most advanced robotics technology powering their capabilities, this new range of revolutionary machines represents our commitment to delivering the world's most intelligent cleaning solutions.

3 WAYS TO CLEAN



CopyCat™ mode replicates a designated cleaning path with exact precision, allowing you to dictate where and how you want the Nilfisk Liberty SC50 to clean.



Fill-in mode lets you implement autonomous cleaning the fastest way possible – no pre-mapping or programming required. Just trace a room's perimeter, and interior space will be cleaned without any further assistance.



Manual mode gives you complete control over movement and cleaning, allowing use as a normal scrubber dryer for ad-hoc tasks.



Nilfisk Middle East & Africa

Al Quoz 3, street 6, P.O. Box 309002

Dubai, United Arab Emirates

E-mail: mkt.uae@nilfisk.com

Phone: +971 4264 4172

www.nilfisk.ae

NILFISK